

Custom Sling

Order Form

Patient Lifter Slings providing support and security to users when being lifted.



Form Information

Full Name

Contact

Date

General Sling Design

Base Sling Design (loop fixing only)

General Purpose	Care	Junior	Walking / Standing
General Purpose Head Support	Care Head Support	Amputee	

Base Sling Material

Mesh	Fabric	Parasilk
------	--------	----------

Base Sling Type

	Loop	Clip	E Clip	Dual (Clip)	Dual (E-Clip)
Pivot					
Pivot Care					
Standing Transfer					
Super Soft					
Other					

Base Sling Size

XS (Extra Small)	M (Medium)	XL (Extra Large)	Other *
S (Small)	L (Large)	XXL (Extra Extra Large)	

* If you have selected 'other', please provide generic dimensions (A - D) plus any other relevant dimensions in the sketch box provided on the last page.

Choose a Standard Modification


MOD 001 - Change/ Add Torso Belt

Buckle	Neoprene/Buckle Over	Custom Length
Velcro	Neoprene/ Velcro	Custom Width

Comments


MOD 002 - Add / Reduce Leg Length

mm	Add Leg Length
mm	Reduce Leg Length



MOD 003 - Add / Reduce Leg Width


mm	Add Leg Width
mm	Reduce Leg Width



MOD 004 - Add / Reduce Head Support

mm Add Head Support


mm Reduce Head Support



MOD 005 - Add / Reduce Body Length

mm Add Body Length


mm Reduce Body Length



MOD 006 - Add / Reduce Body Width

mm Add Body Width


mm Reduce Body Width



NB - Body width adjustment will not affect generic external profile of sling.

MOD 007 - Add Modesty Straps

Modesty Straps keeps legs of sling together without crossing




MOD 008 - Care Sling Leg Strap

Assists in support of upper thighs for clients with low tone using care slings.




MOD 009 - Stand Up Hemi Band

Supports arms affected by hemiplegia in a standing transfer




MOD 010 - Stand Up Drop Strap

Assists clients with limited weight bearing in a standing transfer.



Sling Sketch Box & Dimensions



* If you have selected 'other' in base sling size, please provide generic dimensions (A - D) plus any other relevant dimensions in the sketch box provided below.

Additional Comments:

Sling Sketch and Dimensions

A=

B=

C=

D=

Disclaimer: While Custom Slings are covered by manufacturer's warranty, no responsibility is taken for their suitability and functionality.