

Juvo Shower Commode

Order Form

Providing stability for users with difficulty standing or moving about in the bathroom environment.



Form Information


Full Name

Contact

Date

Commode Measuring / Assessment Guide


A	Shoulder Width		mm
B	Chest Width		mm
C	Hip Width		mm
D	External Knee Width		mm
E	Sitting Height		mm
F	Shoulder Height	mm	mm
G	Axilla Height	mm	mm
H	Scapula Height	mm	mm
I	Trunk Depth		mm
J	PSIS Height		mm
K	Elbow Height	mm	mm
L	Sitting Depth	mm	mm
M	Lower Leg Length with Shoes	☐ Yes ☐ No	mm
N	Foot Depth		mm



Toilet / Bathroom Information

A	Toilet Height	mm
B	Toilet Width	mm
C	Distance from Walls	mm

Add a photo of your bathroom:



Model Information

Model			Seat Width (mm/inch)	
19JASP	Attendant Propelled with Sliding Footplate		360 / 14	
19JASA	Attendant Propelled with Swingaway Footrests		410 / 16	
19JSSP	Self Propelled with Sliding Footplate		460 / 18	
19JSSA	Self Propelled with Swingaway Footrests		510 / 20	
19JSCE	Tilt in Space Commode	Electric	560 / 22	
19JTRC	Tilt and Recline Commode		610 / 24	
19JTSC	High-Low (Electric & Tilt)		660 / 26	
178	Trix 3 in 1 Shower Commode		710 / 28	

Height Adjustable (Width - mm / inch)

360 / 14	410 / 16	460 / 18	510 / 20	560 / 22	610 / 24	660 / 26
----------	----------	----------	----------	----------	----------	----------

Anterior Seat Height

595 mm	565 mm	535 mm	505 mm
--------	--------	--------	--------

Folding Self Propelled (Width- mm / inch)


410 / 16	460 / 18	510 / 20
----------	----------	----------

Folding Attendant Propelled (Width- mm / inch)

410 / 16	460 / 18	510 / 20
----------	----------	----------

Armrest Information

Waterfall PU Armrest



Transfer Bar Safety Arm



Extension Safety Arm

50 mm
100 mm



Padded Armrests

40 mm
50 mm (Supplier Standard)




Arm Trough

Right
Left
Both



Armrest Height

Low Setting 200mm
Standard Setting 240mm



Lockdown Arm Kit



Slip on Lockdown Arm Kit



Seat Information

Impress Seat (Width)

460 mm



PU Open Front Dual Indent


460 mm



PU Seat Closed Front (Width)

410 mm

460 mm



PU Seat Open Front (Width)

360 mm

460 mm

560 mm

660 mm

410 mm

510 mm

610 mm


710 mm



Aperture Closure Panel

Closed

Open



Custom Seat Information

Rear



Open



Closed

Front



Open



Closed

Cut Out



Left



Right

Indent / Bite*



Left




Right



Both


	Seat Thickness	mm
W	Width	mm
D	Depth	mm
HL	Aperture Length	mm
HW	Aperture Width	mm
HLOC	Aperture Location	mm
OW	Opening Width	mm



* Indent / Bite Dimensions (if applicable)

A	Bite Width	mm
B	Bite Location	mm
C	Bite Depth	mm

Other Comments/ Photos of custom seat



Footplates / Leg Information

Angle Adjustable Footrest

Left
Right
Both



Elevating Legrest

Left
Right
Both



Stump Support

Left
Right
Both



Leg Extension



One Piece Footplate



Vertical Legrest



Standard Legrest



Neoprene Footplate Padding



Shorten Length Std Legrest (up to 60mm)

Specify: _____

Offset Legrest

Left	25mm (1 inch) Outward
Right	25mm (1 inch) Inward
Both	

Padded Legrest

Left
Right
Both



Backrest Information

Short Style (to suit Tilt-In-Space)



Tie On Padded Backrest



Angle Adjustable Backrest

3 Strap
(340mm high
to top strap)

4 Strap
(415mm high
to top strap)



Wheelchair Style Backrest

3 Strap
(340mm high)

4 Strap
(415mm high)



Backrest Extension

4 Strap
(415mm high)

5 Strap
(490mm high)

6 Strap
(570mm high)



Headrest Information

Standard Contoured



Small / Banana



Body Support Information

Bodypoint Aeromesh

Small

Medium

Large



Calf Support Strap (Width)

410 mm

460 mm

510 mm



Chest Pelvic Strap

Position

mm



Drop Down Pommel



Thoracic Support

Right

Left

Both

Height From Seat

mm

Width

mm

Modifications

Modify Pan Rack to suit:

Left Access Right Access Both Side Access Complete (for clearance)

Castors & Wheel Accessories

Rear Castor Extension (175mm)



Front Castor Extension (75mm)



Self Prop Wheel Axle Position

Rear position (Default)

Forward position




Height Adjustable Kit

24" Self Propelled Wheel Kit

Standard Castors x 2 (to replace Self Propel)

Other Accessories

Pan / Bowl Carrier (19607)



Bowl with Lid & Handle (11936)



Bed Pan (1990)



Folding Model Travel Bag (1923JCA)



Brake Lever Extensions (11911)



Comments